

# INTEGRAL SQUARE KELLY

Size		Overall Length (m)		Upper box connection (mm)				Lower pin connection (mm)		I.D.	Driving section (mm)	
mm	in	Standard	Optional	Type(LH)		O.D.		Thread	O.D.		Cross flat	Cross corner for square kelly
				Std	optional	Std	optional					
63.5	2 1/2	12.19		6 5/8REG	4 1/2REG	196.8	146.0	NC26	85.7	31.8	63.5	83.3
76.2	3	12.19		6 5/8REG	4 1/2REG	196.8	146.0	NC31	104.8	44.4	76.2	100.0
88.9	3 1/2	12.19		6 5/8REG	4 1/2REG	196.8	146.0	NC38	120.6	57.2	88.9	115.1
108.0	4 1/4	12.19	16.5	6 5/8REG	4 1/2REG	196.8	146.0	NC46	158.8	71.4	108.0	141.3
				6 5/8REG	4 1/2REG	196.8	146.0	NC50	161.9	71.4	108.0	141.3
133.4	5 1/4	12.19	16.5	6 5/8REG		196.8		5 1/2FH	177.8	82.6	133.3	175.4
				6 5/8REG		196.8		NC56	177.8	82.6	133.3	175.4

# INTEGRAL HEXAGONAL KELLY

Size		Overall Length (m)		Upper box connection (mm)				Lower pin connection (mm)		I.D.	Driving section (mm)	
mm	in	Standard	Optional	Type(LH)		O.D.		Thread	O.D.		Cross flat	Cross corner for square kelly
				Std	optional	Std	optional					
76.2	3	12.19		6 5/8REG	4 1/2REG	196.8	146.0	NC31	104.8	44.4	76.2	100.0
88.9	3 1/2	12.19		6 5/8REG	4 1/2REG	196.8	146.0	NC38	120.6	57.2	88.9	115.1
108.0	4 1/4	12.19	16.5	6 5/8REG	4 1/2REG	196.8	146.0	NC38	120.6	57.2	108.0	122.2
133.4	5 1/4	12.19	16.5	6 5/8REG		196.8		NC46	158.8	76.2	133.3	151.6
				6 5/8REG		196.8		NC50	161.9	82.6	133.3	151.6
152.4	6	12.19	16.5	6 5/8REG		196.8		5 1/2 FH	177.8	88.9	152.4	173.0
				6 5/8REG		196.8		NC56	177.8	88.9	152.4	173.0